Society of Behavioral Medicine Position Statement:

Integrate Community Health Workers into the Patient-Centered Medical Home

(JULY 2015)

Denise M. Hynes, PhD, MPH, RN, University of Illinois at Chicago; Edward Hines Jr., Veterans Administration Hospital; Joanna Buscemi, PhD, University of Illinois at Chicago; and Lisa M. Quintiliani, PhD, Boston University, on behalf of the Society of Behavioral Medicine Health Policy Committee*

The Society of Behavioral Medicine supports increased efforts to integrate community health workers into the patient-centered medical home.

In a recent "call to action," a number of organizations including the Society of Behavioral Medicine (SBM), Center for Health Law & Policy Innovation at Harvard Law School, National Council of La Raza, and Peers for Progress provided compelling evidence as to the benefit of integrating community health workers (CHWs) and peer support into existing health care systems. The call to action highlighted several benefits of the role of CHWs including

- enhanced patient experience;
- improved population health; and
- reduced costs and unnecessary utilization of resources.¹

Under the Affordable Care Act (ACA), care provided by CHWs is eligible for reimbursement. However, optimal integration of CHWs into health care requires purposeful implementation

Purpose

As a follow up to the recent call to action, SBM focuses this brief on increased efforts to integrate CHWs specifically into the patient-centered medical home (PCMH). There are numerous opportunities for CHWs to support and enhance primary care.² SBM recommends:

- establishing standards that ensure a skilled CHW workforce;
- · clearly defining roles for CHWs; and
- expanding the scope of reimbursable prevention and primary care services to include those provided by CHWs.

SBM supports specific actions that would promote sustained development of a well-qualified CHW workforce, consensus on how to best integrate CHWs in a PCMH team, and compensation guidelines that are transparent and equitable.

Background

What is the patient-centered medical home?

PCMH is a model for organizing primary health care that emphasizes team-based care coordination in an effort to provide higher quality at lower costs and improve both the patients' and providers' experience, with the goal of maximizing health outcomes.

The PCMH emphasizes patients' individual preferences and values. Given the unique needs of individual patients, PC-



MHs aim to integrate health care providers from across disciplines, including CHWs who specialize in patient-centered care.

What is the role of community health workers in the patient-centered medical home?

- CHWs serve as primary providers of culturally-relevant information and advocacy.
- They assist providers in understanding the influence of patients' environments on disease management.
- They enhance motivation for self-care management among patients with chronic diseases.

Clinical outcomes improve when CHWs are integrated into primary care teams.³⁻⁷ Additionally, CHW-based interventions have demonstrated reduced health care use and costs for chronic care conditions.^{5-6; 8-9}

Overcoming Barriers to Integration

CHWs serve an important role in providing patient-centered, tailored, evidence-based care. Integrating CHWs in the PCMH may be facilitated by the following three measures.

1) Establish standards that ensure high-quality CHW programs and a skilled CHW workforce.

Only 16 states regulate CHWs. ¹⁰⁻¹² Among these 16 states, five have adopted a certification system of credentialing. Regulatory rules and certification requirements vary markedly. No states license CHWs or offer educational programs that allow applicants to quality for licenses. Model guidelines exist that provide for credentialing of both CHW programs as well as individual CHWs. ¹³ The lack of and variation in regulations and certification standards can raise questions about how to use CHWs, thereby undermining the likelihood that PCMHs will integrate CHWs into their team-based systems of care.

2) Clearly define roles for CHWs.

A primary goal of the PCMH is team-based care. However, models on how to develop training to accomplish the most efficient and effective team-based care are still in progress. Given the wide range of roles and duties of CHWs, there can be some confusion among staff about the best way to utilize and integrate the CHW on an interprofessional team. In their best practice guidelines for implementing and evaluating CHW programs in health care settings, Gutierrez Kapheim and Campbell recommend:

- staff-wide trainings on cross-cutting evidenced-based competencies and best practice models;
- a priori planning by administrative staff to ensure clear roles and procedures for all health professionals; and
- assignment of access, roles, and tasks in the PCMH electronic medical record.¹⁴

3) Expand the scope of reimbursable prevention and primary care services to include those provided by CHWs.

The PCMH improves upon traditional primary care models by incorporating patient-oriented care that often includes coordinating care with community-based health programs and other health services outside of the provider office. Unfortunately, the traditional reimbursement model—fee-for-service—does not always reimburse for care delivered by phone or email. There have been recent short-term changes to the chronic care management coordination codes to help to reimburse for care that is not face-to-face, but further reform is needed to provide adequate reimbursement for care provided by CHWs.

Summary and Recommendations

CHWs have the ability to increase the reach and effectiveness of care in the PCMH, in addition to reducing excess resource utilization. As more health care systems adopt the PCMH model, it is important to highlight factors that will facilitate integration of CHWs into interprofessional teams. SBM supports expanding the use of CHWs to enhance primary care, prevention, and chronic disease management programs within PCMHs to improve patient outcomes and reduce unnecessary utilization of resources.

SBM offers the following policy recommendations for integration of CHWs into the PCMH:

- 1) Clearly define and support the role of the CHWs within the PCMH by
 - determining roles of CHWs based on need as well as training and skill prior to hire;
 - developing clear intervention protocols and referral processes for CHWs to follow; and
 - training all PCMH health care professionals to collaborate across disciplines.
- Expand the scope of reimbursable prevention and primary care services to include those provided by CHWs.

*The authors wish to gratefully acknowledge the expert review provided by the Society of Behavioral Medicine's Integrated Primary Care Special Interest Group.

References

- 1 Center for Health Law & Policy Innovation at Harvard Law School, NCLR, Peers for Progress, and Society of Behavioral Medicine. (2015). Call to action: Integrating peer support in prevention and health care under the Affordable Care Act. Retrieved from http://www.sbm.org/UserFiles/file/ CALLTOACTION-communityhealthworkerstatement.pdf on June 25, 2015
- 2 Balcazar H, Rosenthal L, Brownstein JN, Rush CH, Matos S, Hernandez L. Community health workers can be a public health force for change in the United States: three actions for a new paradigm. Am J Public Health. 2011;101:2199–203.
- 3 Philis-Tsimikas A, Walker C, Rivard L et al. Improvement in diabetes care of underinsured patients enrolled in project dulce: a community-based, culturally appropriate, nurse case management and peer education diabetes care model. Diabetes Care 2004;27(1):110-115.
- 4 Otero-Sabogal R, Arretz D, Siebold S et al. Physician-community health worker partnering to support diabetes self-management in primary care. Qual Prim Care 2010;18(6):363-372.
- 5 Beckham S, Kaahaaina D, Voloch KA, Washburn A. A community-based asthma management program: effects on resource utilization and quality of life. *Hawaii Med J* 2004;63(4):121-126.
- 6 Krieger JW, Takaro TK, Song L, Weaver M. The Seattle-King County Healthy Homes Project: a randomized, controlled trial of a community health worker intervention to decrease exposure to indoor asthma triggers. Am J Public Health 2005;95(4):652-659.
- 7 Heisler M, Vijan S, Makki F, Piette JD. Diabetes control with reciprocal peer support versus nurse care management: a randomized trial. Annals of Internal Medicine. 2010;153(8):507-15.
- 8 Fedder DO, Chang RJ, Curry S, Nichols G. The effectiveness of a community health worker outreach program on healthcare utilization of west Baltimore City Medicaid patients with diabetes, with or without hypertension. Ethn Dis 2003;13(1):22-27.
- 9 Karnick P, Margellos-Anast H, Seals G, Whitman S, Aljadeff G, Johnson D. The pediatric asthma intervention: a comprehensive cost-effective approach to asthma management in a disadvantaged inner-city community. J Asthma 2007;44(1):39-44.
- 10 Centers For Disease Control And Prevention, A Summary of State Community Health Worker Laws, 2013. Available at http://www. cdc.gov/dhdsp/pubs/docs/CHW_State_Laws.pdf. Accessed December 13, 2014.
- 11 Rush, CH. Basics of Community Health Worker Credentialing (2012), available at http://www.chw-nec.org/pdf/Basics%20 of%20Community%20Health%20Worker%20Credentialing.pdf. Accessed December 13, 2014
- 12 Miller, P, Bates, T, & Katzen, A. Community Health worker credentialing: State approaches. June 16, 2014. Available at: http://www.chlpi.org/wp-content/uploads/2014/06/CHW-Credentialing-Paper.pdf. Accessed December 13, 2014.
- 13 Center for Health Law and Policy Innovation, Harvard Law School; National Council of La Raza (NCLR); and Peers for Progress, American Academy of Family Physicians Foundation. (2015). Recommended Model Guidelines for Credentialing Community Health Worker Programs and Community Health Workers.
- 14 Gutierrez Kapheim M and Campbell J. Best Practice Guidelines for Implementing and Evaluating Community Health Worker Programs in Health Care Settings. Chicago, IL: Sinai Urban Health Institute, January 2014.